Index to Volume 45, 1988

Note: All conferences, notices and other announcements are under one heading: NOTICES.

A

AATOLA S *see* FÄRKKILÄ M *et al*
ABENHAIM L, SUISSA S, and ROSSIGNOL M: Risk of recurrence of occupational back pain over three year follow up, 829
ABRONS H L, PETERSEN M R, SANDERSON W T, ENGELBERG A L, and HARBER P: Symptoms, ventilatory function, and environmental exposures in Portland cement workers, 368; correction, 720
Acetylene production plants, workers mortality, 63
Acid mists exposure, and laryngeal cancer, 766
ADCOCK D F *see* ANDERSON D J *et al*
ADES A E, and KAZANTZIS G: Lung cancer in a non-ferrous smelter: the role of cadmium, 435
Adrenaline, urinary excretion, lumberjacks with vibration syndrome, 570
AFACAN A S *see* DRUMMOND L *et al*
Agricultural and forestry workers, malignant lymphoma risk, Sweden, 19
AHLBORG G, EINISTÖ P, and SORSA M: Mutagenic activity and metabolites in the urine of workers exposed to trinitrotoluene (TNT), 353
AHONEN I and SCHIMBERG R W: 2,5-Hexanedione excretion after occupational exposure to n-hexane, 133
Air pollution from incinerators, twinning, human populations and cattle, 556
ÅKESSON B, SKERFVING S, and MATTIASSON L: Experimental study on the metabolism of triethylamine in man, 262
Allergic and respiratory symptoms in wool textile workers, 727
Allergy and occupational exposure to hydroquinone, and methionine, 376
Aluminium production workers, primary, skin telangiectases and ischaemic disorders, 198
——silicate, artificial, pulmonary disease from exposure, further observations, 246
6-Aminolaevulinate dehydratase, evidence of induction of de novo synthesis, by lead, 710
AMOR A O *see* BERNARD A M *et al*
Anaesthetist, halothane related liver affection, 716
Anatolian village, small, non-occupational asbestos related chest diseases, 841
——exposure to tremolite asbestos, 838
ANDERSEN A *see* RØNNEBERG A *et al*
ANDERSON D, GOYLE S, PHILLIPS B J, TEE A, BEECH L, and BUTLER W H: Effects of methyl isocyanate on rat muscle cells in culture, 269
——*see also* YARDLEY-JONES A *et al*
ANDERSON D J, ADCOCK D F, CHOVIL A C, and FARRELL J J: Ultrasound lumbar canal measurement in hospital employees with back pain, 552
ANDERSSON N, MUIR M K, MEHRA V, and SALMON A G: Exposure and response to methyl isocyanate: results of a community based survey in Bhopal, 469
ANDREWS L *see* BRANDT-RAUF P W *et al*
ANTON-CULVER H, CULVER B D, and KUROSAKI T: Immune response in shipyard workers with x-ray abnormalities consistent with asbestos exposure, 464
AONO H *see* ARAKI S *et al*
ARAKI S, YOKOYAMA K, AONO H, and MURATA K: Determination of the distribution of nerve conduction velocities in chain saw operators, 341
ARAKI T *see* SAKAI T *et al*
ARMSTRONG B *see* MCDONALD A D *et al*
ARMSTRONG B K, DE KLERK N H, MUSK A W, and HOBBS M S T: Mortality in miners and millers of crocidolite in Western Australia, 5
——*see also* WADDELL V P *et al*
Arsenic extractive industry, occupational health aspects, Britain, 1868–1925, 602
ARTVINLI M *see* BARIŞ Y I *et al*
Asbestos associated tumours, car mechanics, 645
——cement industry, risk assessment: correspondence, 201, 720
——chrysotile, effects of electrostatic charge on pathogenicity, 292
—— ——miners, respiratory health, British Columbia, longitudinal study, 459
——exposure, gastrointestinal cancer risk: correspondence, 573
—— ——immune response in shipyard workers with x-ray abnormalities consistent with, 464
—— ——and risk of gastrointestinal cancer, reassessment, 75
——factory workers, East London, correlation between fibre content of lung and disease, 305
——insulation workers, malignant mesothelioma, clinical presentation, diagnosis, and causes of death, 182
—— —— ——symptomatic benign pleural effusions, residual radiographic abnormalities, 443
——International Association, set of 100 radiographs, asbestos workers, international classification trial, 538
——low level exposure, possibility of cancer risk: editorial, 505
——lung cancer, lobe of origin in attribution to, 544
——and manmade mineral fibres, benzo(a)pyrene adsorption, in aqueous solution and in biological model solution, 682
——and manmade mineral fibres, 8-hydroxydeoxyguanosine formation, 309
——related chest diseases, non-occupational, small Anatolian village, 841
——related diseases, 1985–2009, United States, I. Cancer, 283
——related lung disease, maintenance workers: correspondence, 203
——UICC amosite, inhaled, pulmonary clearance, rats, 300
——workers, serum type III procollagen peptide, early indicator of pulmonary fibrosis, 818
Asbestosis, benign, words and thoughts: editorial, 433
ASP S *see* TOLA S *et al*
Aspirin metabolism and m-xylene, interactions, man, 127
Asthma, occupational, in mineral analysis laboratory, 381
ÅSTRAND N-E and ISACSSON S-O: Back pain, back abnormalities, and competing medical, psychological, and social factors as predictors of sick leave, early retirement, unemployment, labour turnover and mortality: a 22 year follow up of male employees in a Swedish pulp and paper company, 387
Atopy, smoking, and allergy to laboratory animals, 667
Australia, Western, hospital morbidity, variation, male workforce, 139
AXELSON O *see* DAVE S K *et al*
FLODIN U *et al*
LEANDERSON P *et al*

B

BACCHELLA L *see* CAVALLERI A *et al*
Back pain, and back abnormalities, and competing factors as predictors of employment and retirement, 387
—— ——occupational, risk of recurrence, over three year follow up, 829
—— ——ultrasound lumbar canal measurement, hospital employees, 552
BAKER E L *see* WHITE M C and BAKER E L
BALARAJAN R and MCDOWALL M E: Professional drivers in London: a mortality study, 483
BALLANTINE B N *see* NORMAN J N *et al*
BARIŞ Y I, ARTVINLI M, ŞAHIN A A, BILIR N, KALYONCU F, and SEBASTIEN P: Non-occupational asbestos related chest diseases in a small Anatolian village, 841

——Bilir N, Artvinli M, Sahin A A, Kalyoncu F, and Sebastien P: An epidemiological study in an Anatolian village environmentally exposed to tremolite asbestos, 838
Barrat G *see* Choudat D *et al*
Baxter P J, Brazier A M, and Young S E J: Is smallpox a hazard in church crypts? 359
——*see also* Venables K M *et al*
BCF *see* Bromochlorodifluoromethane
Beaumont J *see* Steenland K *et al*
Beck B D *see* Musk A W *et al*
Beech L *see* Anderson D *et al*
Bemis E L *see* Funahashi A *et al*
Benhamou E *see* Benhamou S *et al*
Benhamou S, Benhamou E, and Flamant R: Occupational risk factors of lung cancer in a French case-control study, 231
Bennett J G *see* Collins H P R *et al*
Benzene, catechol and quinol determination in urine of workers exposed to, 487
——low level, genotoxic effects in peripheral blood and urine of workers exposed to, 694
——environmental and occupational exposure, analysis of breath and blood, 345
——exposed workers, coke oven industry, biological monitoring, 256
——occupational exposure, effect on phytohaemagglutinin (PHA) stimulated lymphocytes, man, 516
Benzo(a)pyrene adsorption, on asbestos and manmade mineral fibres in aqueous solution and in biological model solution, 682
Beritić T: Benign asbestosis: words and thoughts: editorial, 433
Berlin J and Frumkin H: Exposure to asbestos and the risk of gastrointestinal cancer: correspondence, 575
Bernard A M, Amor A O, and Lauwerys R R: Decrease of erythrocyte and glomerular membrane negative charges in chronic cadmium poisoning, 112
Bernardinelli L, DeMarco R, and Tinelli C: Cancer mortality in an Italian rubber factory: correspondence reply, 572
Bernholz C *see* Haines T *et al*
Beryllium exposure and pulmonary function, cross sectional study of beryllium workers, 167
——workers, pulmonary function, assessment of exposure, 83
Beving H, Malmgren R, and Olsson P: Changed fatty acid composition in platelets from workers with long term exposure to organic solvents, 565
Bhopal, methyl isocyanate, exposure and response, results of community based survey, 469
Bilir N *see* Baris Y I *et al*
Bladder cancer, incidence, occupational factors, Canada, 361
Blau J N *see* Espir M L E *et al*
Bloom T *see* Steenland K *et al*
Blot W J *see* Levin L I *et al*
McLaughlin J K *et al*
Blowers S D *see* Yardley-Jones A *et al*
Bohannon D E *see* Musk A W *et al*
Bolton R E *see* Davis J M G *et al*
Jones A D *et al*
Bond G G, Wetterstroem N H, Roush G J, McLaren E A, Lipps T E, and Cook R R: Cause specific mortality among employees engaged in the manufacture, formulation, or packaging of 2,4-dichlorophenoxyacetic acid and related salts, 98
Book Reviews:
Bartsch H, O'Neill I, and Schulte-Herman R *editors*: The relevance of N-nitroso compounds to human cancer: exposure and mechanisms 1987, 206
Cotes J E and Steel J *editors*: Work-related lung disorders 1987, 207
Emmett E A *editor*: Health problems of Health Care Workers 1987, 504
Howard J K and Tyer F H *editors*: Textbook of occupational medicine 1987, 207
International Commission on Occupational Health: International directory of databases and data banks in occupational health 1987, 845
Johnson B L *editor*: Prevention of neurotoxic illness in working populations 1987, 207
Jones J S P *editor*: Pathology of the mesothelium 1987, 279
Maibach H I *editor*: Occupational and industrial dermatology 1987, 206
Miller A *editor*: Pulmonary function tests in clinical and occupational lung disease 1985, 503
Miller A *editor*: Pulmonary function tests. A guide for the student and house officer 1987, 504
Raffle P A B, Lee W R, McCallum R I, and Murray R *editors*: Hunter's diseases of occupations 1987, 846
Turusov V S *editor*: Pathology of tumours in laboratory animals, Vol. 1. Tumours of the rat, parts 1 and 2 1987, 279
Borzucki G *see* Jones A D *et al*
Bourbonnais R, Meyer F, and Theriault G: Validity of self reported work history, 29
Brain J D *see* Musk A W *et al*
Brandt-Rauf P W and Niman H L: Serum screening for oncogene proteins in workers exposed to PCBs, 689
Brandt-Rauf P W, Fallon L F, Tarantini T, Idema C, and Andrews L: Health hazards of fire fighters: exposure assessment, 606
Brazier A M *see* Baxter P J *et al*
Breast cancer, male, occupational risks, Sweden, 275
Breiner J A *see* Norman J N *et al*
Brisman J *see* Järvholm B and Brisman J
Britain, arsenic extractive industry, occupational health aspects, 1868–1925, 602
Brochard P *see* Choudat D *et al*
Bromobenzene, in reduction of delta-aminolaevulinate dehydratase concentration, rats, 640
Bromochlorodifluoromethane (BCF, halon 1211), assessment of reproductive toxicology, rat, 755
Bronchitis, chronic, and lung dysfunction, determinants, gold miners, Western Australia: correspondence, 503, 845: correction, 720
Brown B *see* Norman J N *et al*
——Browne K: Risk assessment in the asbestos cement industry: correspondence, 720
——*see also* Rossiter C E *et al*
Brugnone F *see* Perbellini L *et al*
Buckman M P *see* Horsfield K *et al*
Burch J D *see* Risch H A *et al*
Butler W H *see* Anderson D *et al*
Byssinosis, low prevalence in 12 flax scutching mills, Normandy, France, 325
——symptoms, prevalence, textile industry, Lancashire, 782
——in textile factory, Cameroon, preliminary study, 803

C

Cadmium, liver, cumulative exposure, and renal function, relations between, cadmium alloy workers, 793
——poisoning, chronic erythrocyte and glomerular membrane negative charges, decrease, 112
——role in: lung cancer in non-ferrous smelter, 435
Cai S-X *see* Inoue O *et al*
Caillard J-F *see* Cinkotai F F *et al*
Cameroon, byssinosis in textile factory, preliminary study, 803
Campbell L, Wilson H K, Samuel A M, and Gompertz D: Interactions of m-xylene and aspirin metabolism in man, 127
Canada, bladder cancer incidence, occupational factors, 361
Cancer, associated with asbestos, 1985–2009, United States, 283
——excess, chimney sweeps, Sweden, 777
——incidence, welders, platers, machinists, and pipe fitters in shipyards and machine shops, 209
——mortality, rubber factory, Italy: correspondence, 572
——and oil exposure, mortality and incidences, Norway, Part I

Exposure conditions 1920–79, 589: Part II exposure conditions 1953–84, 595
——workers exposed to vinylchloride, increasing evidence of rise, 93
——*see also* Bladder: Gastrointestinal: Lung
CAPOTORTO J *see* HUNCHAREK M, and CAPOTORTO J
Car mechanics, asbestos associated tumours, 645
CASE B W *see* DE GUIRE L *et al*
Catechol, determination in urine of benzene exposed workers, 487
CAVALLERI A, GOBBA F, BACCHELLA L, LUBERTO F, and ZICCARDI A: Serum type III procollagen peptide in asbestos workers: an early indicator of pulmonary fibrosis, 818
CAVANAGH J B: Long term care persistence of mercury in the brain: editorial, 649
CAZZOLI F *see* PERBELLINI L *et al*
Cement, Portland, workers, symptoms, ventilatory function, and environmental exposures, 368; correction, 720
Central nervous system dysfunction, solvent induced, electroneurographic findings, 409
Chain saw operators, nerve conduction velocities, determination of distribution, 341
Chemicals, untested and adequately tested, medical expert witness: editorial, 721
CHERRY N *see* MCDONALD A D *et al*
CHERRY N M *see* MCDONALD A D *et al*
Chest radiographs, irregularly shaped small shadows, dust exposure, and lung function in coalworkers' pneumoconiosis, 43
CHETTLE D R *see* MASON H J *et al*
SOMERVAILLE L J *et al*
Children at work, dangers: editorial, 73
Chimney sweeps, cancer excess, Sweden, 777
CHONG J *see* HAINES T *et al*
CHOUDAT D, NEUKIRCH F, BROCHARD P, BARRAT G, MARSAC J, CONSO F, and PHILBERT M: Allergy and occupational exposure to hydroquinone and to methionine, 376
CHOVIL A C *see* ANDERSON D J *et al*
Chronic lymphatic leukaemia, engine exhausts, fresh wood, and DDT, case-referent study, 33
Chrysotile asbestos, effects of electrostatic charge on pathogenicity, 292
—— ——miners, respiratory health, British Columbia, longitudinal study, 459
—— ——*see also* Asbestos
CINKOTAI F F, EMO P, GIBBS A C C, CAILLARD J-F, and JOUANY J-M: Low prevalence of byssinotic symptoms in 12 flax scutching mills in Normandy, France, 325
——RIGBY A, PICKERING C A C, SEABORN D and FARAGHER E: Recent trends in the prevalence of byssinotic symptoms in the Lancashire textile industry, 782
Civil servants, headaches, effect on work and leisure, 336
Coal fly ash, silicotic lesions in lungs of rats pre-exposed to, 312
Coalworkers' pneumoconiosis, dust exposure, and lung function, irregularly shaped small shadows on chest radiographs, 43
——*see also* Miners
COGGON D *see* MAGNANI C *et al*
COIN P *see* LILIENFELD D E *et al*
Coke oven industry, benzene exposed workers, biological monitoring, 256
Cold, vasoconstrictor response, forestry workers, prospective study, 39
COLLINS H P R, DICK J A, BENNETT J G, PERN P O, RICKARDS M A, THOMAS D J, WASHINGTON J S, and JACOBSEN M: Irregularly shaped small shadows on chest radiographs, dust exposure, and lung function in coalworkers' pneumoconiosis, 43
Congenital defects, and work in pregnancy, 581: editorial, 577
CONSO F *see* CHOUDAT D *et al*
CORDIER S *et al*
Construction painters, respiratory illness measurements, 523
COOK R R *see* BOND G G *et al*
COOPER F M *see* HORSFIELD K *et al*
CORDIER S, POISSON M, GERIN M, VARIN J, CONSO F, and HEMON D: Gliomas and exposure to wood preservatives, 705
Correction, 432
CORRIN B *see* WAGNER J C *et al*
CÔTÉ *see* MCDONALD A D *et al*
COTES J E *see* WELLER J J *et al*
Cotton workers, and Manchester criteria: correspondence, 431
COWIE H *see* JONES A D *et al*
Crocidolite, mortality in miners and millers, Western Australia, 5
CULVER B D *see* ANTON-CULVER H *et al*
CULVER H ANTON- *see* ANTON-CULVER H
CUMMING G *see* HORSFIELD K *et al*
CYR D *see* DE GUIRE L *et al*

D

DANIELL W E and VAUGHAN T L: Paternal employment in solvent related occupations and adverse pregnancy outcomes, 193
DAVE S K, EDLING C, JACOBSSON P, and AXELSON O: Occupation, smoking, and lung cancer, 790
DAVIES M J *see* YARDLEY-JONES A *et al*
DAVIS J M G and MCDONALD J C: Low level exposure to asbestos: is there a cancer risk? editorial, 505
——BOLTON R E, DOUGLAS A N, JONES A D, and SMITH T: Effects of electrostatic charge on the pathogenicity of chrysotile asbestos, 292
DAVISON A G *see* MASON H J *et al*
DDT, engine exhausts, fresh wood, and chronic lymphatic leukaemia, case-referent study, 33
DE GUIRE L, THERIAULT G, ITURRA H, PROVENCHER S, CYR D, and CASE B W: Increased incidence of malignant melanoma of the skin in workers in a telecommunications industry, 824
DE KLERK N H *see* ARMSTRONG B K *et al*
Delta-aminolaevulinate dehydratase concentration, reduction by bromobenzene, rats, 640
Denmark, Copenhagen, small opacities among dental laboratory technicians, 320
——sinonasal cancer, occupational risks, 329
Dental laboratory technicians, small opacities, Copenhagen, Denmark, 320
2,4-dichlorophenoxyacetic acid and related salts, cause specific mortality of employees involved in, 98
DICK J A *see* COLLINS H P R *et al*
Dioxin, immunological abnormalities 17 years after accidental exposure to, 701
DOE J E *see* WICKRAMARATNE G A DE S *et al*
DOLL R *see* EASTON D F *et al*
Dose-response relation in occupational mortality studies, person-years calculation; correspondence, 204, 279
DOUGLAS A N *see* DAVIS J M G *et al*
Drivers, professional, London, mortality study, 483
DRUMMOND L, GILLANDERS E M, and WILSON H K: Plasma gamma-hexachlorocyclohexane concentrations in forestry workers exposed to lindane, 493
——LUCK R, AFACAN A S, and WILSON H K: Biological monitoring of workers exposed to benzene in the coke oven industry, 256
DUBROW R, PAULSON J O, and INDIAN R W: Farming and malignant lymphoma in Hancock County, Ohio, 25
DYNÉSIUS B *see* JOHANSON G and DYNÉSIUS B

E

EASTON D F, PETO J, and DOLL R: Cancers of the respiratory tract in mustard gas workers, 652
EDELMAN D A: Exposure to asbestos and the risk of gastrointestinal cancer: a reassessment, 75: correspondence reply, 574
EDLING C, HELLQUIST H and ÖDKVIST L: Occupational exposure to formaldehyde and histopathological changes in the nasal mucosa, 761
——*see also* DAVE S K *et al*
EDWARDS J B *see* GUN R T *et al*
EINISTÖ P *see* AHLBORG G *et al*

Eisen E A *see* Kriebel D *et al*
El-Gamal F M *see* Weller J J *et al*
Elhence B R *see* Lahiri V L *et al*
Elwood P C: Cotton workers and the Manchester criteria: correspondence, 431
Embree V *see* Enarson D A *et al*
Emo P *see* Cinkotai F F *et al*
Enarson D A, Embree V, Maclean L, and Grzybowski S: Respiratory health in chrysotile asbestos miners in British Columbia: a longitudinal study, 459
Encephalopathy, solvent induced chronic toxic, power spectrum analysis of electroencephalography at diagnosis and follow up, 476
Engelberg A L *see* Abrons H L *et al*
Engine exhausts, fresh wood, DDT, and chronic lymphatic leukaemia, case-referent study, 33
Engineering industry, musculoskeletal morbidity, occupational class, and physical workload, 672
Epilepsy, employers' attitudes to, 713
Ericson J L E *see* McLaughlin J K *et al*
Erythrocyte and glomerular membrane negative charges, decrease in chronic cadmium poisoning, 112
Esaki H *see* Une H and Esaki H
Espir M L E, Thomason J, Blau J N, and Kurtz Z: Headaches in civil servants: effect on work and leisure, 336
Esterman A J *see* Gun R T *et al*

F

Faccini G B *see* Perbellini L *et al*
Fallon L F *see* Brandt-Rauf P W *et al*
Faragher E *see* Cinkotai F F *et al*
Färkkilä M, Pyykkö I, Jäntti V, Aatola S, Starck J, and Korhonen O: Forestry workers exposed to vibration: a neurological study, 188
Farming, and malignant lymphoma, Hancock County, Ohio, 25
Farrell J J *see* Anderson D J *et al*
Farrer N M *see* Venables K M *et al*
Fatty acids, changed composition in platelets, long term exposure to organic solvents, 565
Fayers P M *see* Mason H J *et al*
Fedotova I V *see* Smulevich V B *et al*
Feldman H A *see* Kriebel D *et al*
Fetal death, and work in pregnancy, 148
Filatova V S *see* Smulevich V B *et al*
Finkelstein M M: Investigating dose response relations on occupational mortality studies: correspondence, 204
——Risk assessment in the asbestos cement industry: correspondence, 201
Fire fighters, health hazards, exposure assessment, 606
Firemen, West Sussex, lung function, four year study, 116
—— —— ——respiratory symptoms, 251
Fischbein A *see* Horowitz S F *et al*
Flamant R *see* Benhamou S *et al*
Flax scutching mills, low prevalence of byssinotic symptoms, Normandy, France, 325
Fletcher A C *see* Gardner M J *et al*
Flodin U, Fredriksson M, Persson B, and Axelson O: Chronic lymphatic leukaemia and engine exhausts, fresh wood, and DDT: a case-referent study, 33
Fly ash, coal, silicotic lesions in lungs of rats pre-exposed to, 312
Forestry and agricultural workers, malignant lymphoma risk, Sweden, 19
——workers exposed to lindane, plasma γ-hexachlorocyclohexane concentrations, 493
—— ——exposed to vibration, neurological study, 188
—— ——vasoconstrictor response to cold, prospective study, 39
Formaldehyde, occupational exposure, and histopathological changes in nasal mucosa, 761
Forst L and Hryhorczuk D: Occupational tarsal tunnel syndrome, 277
France, Normandy, 12 flax scutching mills, low prevalence of byssinotic symptoms, 325
Franklin D M *see* Mason H J *et al*
Fraumeni J F *see* Levin L I *et al*
McLaughlin J K *et al*
Fredriksson M *see* Flodin U *et al*
Frumkin H *see* Berlin J and Frumkin H
Fujita H and Ishihara N: Evidence of the induction of de novo synthesis of δ-aminolaevulinate dehydratase by lead, 710
—— ——Reduction of delta-amino-levulinate dehydratase concentration by bromobenzene in rats, 640
Funahashi A, Schlueter D P, Pintar K, Bemis E L, and Siegesmund K A: Welders' pneumoconiosis: tissue elemental microanalysis by energy dispersive x-ray analysis, 14

G

Gamal F M El- *see* El-Gamal F M
Gantt R C and Lincoln J E: Determinants of chronic bronchitis and lung dysfunction in Western Australian gold miners: correspondence, 503: correction, 720
Gao Y-T *see* Levin L I *et al*
Gardner M J, Magnani C, Pannett B, Fletcher A C, and Winter P D: Lung cancer among glass fibre production workers: a case-control study, 613
Gastrointestinal cancer, risk from asbestos exposure, reassessment, 75: correspondence, 573
Gauld S J *see* Norman J N *et al*
Gerde P and Scholander P: Adsorption of benzo(a)pyrene on to asbestos and manmade mineral fibres in an aqueous solution and in a biological model solution, 682
Gerin M *see* Cordier S *et al*
Gerr F E and Letz R: Reliability of a widely used test of peripheral cutaneous vibration sensitivity and a comparison of two testing protocols, 635
Gibbs A C C *see* Cinkotai F F *et al*
Gillanders E M *see* Drummond L *et al*
Gilson J C *see* Rossiter C E *et al*
Glass fibre production workers, lung cancer, case-control study, 613
Gliomas and exposure to wood preservatives, 705
Glomerular membrane negative charges, decrease in chronic cadmium poisoning, 112
Glycol ethers, six commonly used, liquid/air partition coefficients, 561
Gobba F *see* Cavalleri A *et al*
Gold miners, chronic bronchitis and lung dysfunction determinants, Western Australia: correspondence, 503, 845: correction, 720
Goldman M *see* Mosquera D and Goldman M
Gompertz D *see* Campbell L *et al*
Mason H J *et al*
Gordon D J *see* Venables K M *et al*
Gordon I A: Investing dose response relations in occupational mortality studies: something to keep in mind: correspondence, 279
Goyle S *see* Anderson D *et al*
Grain terminals, organophosphate concentrate, ultralow volume application, new occupational hazard, 834
Graveien S *see* Lander F and Graveien S
Greaves I A *see* Kriebel D *et al*
Greene R E *see* Kriebel D *et al*
Greville H W *see* Musk A W *et al*
Griffiths D M *see* Wagner J C *et al*
Grycorcewicz C *see* Gun R T *et al*
Grzybowski S *see* Enarson D A *et al*
Guire L De *see* De Guire L
Gun R T, Grycorcewicz C, Esterman A J and Edwards J B: Ultralow volume application of organophosphate concentrate in grain terminals: a new occupational health hazard, 834
Gurr D *see* Love R G *et al*
Gustavsson A *see* Gustavsson P *et al*
Gustavsson P, Gustavsson A and Hogstedt C: Excess of cancer in Swedish chimney sweeps, 777

GUTHRIE C J G *see* MASON H J *et al*
GUYATT A R *see* HORSFIELD K *et al*

H

HAINES T, CHONG J, VERRALL A B, JULIAN J, BERNHOLZ C, SPEARS R, and MUIR D C F: Aesthesiometric threshold changes over the course of a workshift in miners exposed to hand-arm vibration, 106
Halon 1211 *see* Bromochlorodifluoromethane
Halothane related liver affection in an anaesthetist, 716
HALPERIN W *see* STEENLAND K *et al*
HAN K *see* HE F *et al*
Hand-arm vibration syndrome, new clinical classification and updated British standard guide: editorial, 281
HARABUCHI I *see* KISHI R *et al*
HARBER P *see* ABRONS H L *et al*
Hard metal workers, right and left vetricular function, evaluation, 742
HARPER M: Occupational health aspects of the arsenic extractive industry in Britain (1868–1925), 602
HASAN J *see* LEINO P *et al*
HAWKINS E R *see* VENABLES K M *et al*
HE F, SUN J, HAN K, WU Y, YAO P, WANG S, and LIU L: Effects of pyrethroid insecticides on subjects engaged in packaging pyrethroids, 548
Headaches, civil servants, effect on work and leisure, 336
Health hazards, fire fighters, exposure assessment, 606
——workers, occupational health: editorial, 137
HELLQUIST H *see* EDLING C *et al*
HEMON D *see* CORDIER S *et al*
γ-Hexachlorocyclohexane plasma concentrations, forestry workers exposed to lindane, 493
2,5-Hexanedione excretion after occupational exposure to n-hexane, 133
HILL G B *see* RISCH H A *et al*
HOBBS M S T *see* ARMSTRONG B K *et al*
HOGSTEDT C *see* GUSTAVSSON P *et al*
HOLDEN H *see* MASON H J *et al*
HOLM L-E *see* WIKLUND K *et al*
HOLMAN C D J *see* WADDELL V P *et al*
HOROWITZ S F, FISCHBEIN A, MATZA D, RIZZO J N, STERN A, MACHAC J, and SOLOMON S J: Evaluation of right and left ventricular function in hard metal workers, 742
HORSFIELD K, COOPER F M, BUCKMAN M P, GUYATT A R, and CUMMING G: Respiratory symptoms in West Sussex firemen, 251
——GUYATT A R, COOPER F M, BUCKMAN M P, and CUMMING G: Lung function in West Sussex firemen: a four year study, 116
Hospital morbidity and occupation, male workforce, Western Australia, 139
HOWE G R *see* RISCH H A *et al*
HRYHORCZUK D *see* FORST L and HRYHORCZUK D
HUGHES J and WEILL H: Risk assessment in the asbestos cement industry: correspondence reply, 202
HUMBLE C and WING S: Determinants of chronic bronchitis and lung dysfunction in Western Australian gold miners: correspondence, 845
HUNCHAREK M and CAPOTORTO J: Asbestos related lung disease in maintenance workers: correspondence, 203
——SMITH K and MILATOU R: Malignant pleural mesothelioma in a nuclear engineer, 498
Hydroquinone, allergy and occupational exposure, 376
8-Hydroxydeoxyguanosine, formation by asbestos and man made mineral fibres, 309
Hypothenar hammer syndrome, unusual variant, 568

I

ICHIBA M and TOMOKUNI K: Response of erythrocyte pyrimidine 5'-nucleotidase (P5N) activity in workers exposed to lead, 718
IDEMA C *see* BRANDT-RAUF P W *et al*
IKEDA M *see* INOUE O *et al*
IKEDA T *see* KISHI R *et al*
Immune response in shipyard workers with *x* ray abnormalities consistent with asbestos exposure, 464
Incinerators, air pollution, twinning, human populations and cattle, 556
INDIAN R W *see* DUBROW R *et al*
INOUE O, SEIJI K, KASAHARA M, NAKATSUKA H, WATANABE T, YIN S-G, LI G-L, CAI S-X, JIN C and IKEDA M: Determination of catechol and quinol in the urine of workers exposed to benzene, 487
Insecticides, pyrethroid, effects on pyrethroid packers, 548
Iron ore miners, lung cancer decline, Cumbria, 219
ISACSSON S-O *see* ASTRAND N-E and ISACSSON S-O
Ischaemic disorders, and skin telangiectases, primary aluminium production workers, 198
ISHIHARA N *see* FUJITA H and ISHIHARA N
Italy, rubber factory, cancer mortality: correspondence, 572
ITURRA H *see* DE GUIRE L *et al*

J

JACOBSEN M *see* COLLINS H P R *et al*
JACOBSSON P *see* DAVE S K *et al*
JAJTE J, LAO I, WIŚNIEWSKA-KNYPL J M, and WROŃSKA-NOFER T: Silica earth provoked lung fibrosis with stimulation of lysosomal enzymes and lipid peroxidation in rats, 239
JÄNTTI V *see* FÄRKKILÄ M *et al*
JÄRVHOLM B and BRISMAN J: Asbestos associated tumours in car mechanics, 645
JĘDRYCHOWSKI W *see* KRZYŻANOWSKI M *et al*
JENKINSON P *see* YARDLEY-JONES A *et al*
JENKINSON P C *see* YARDLEY-JONES A *et al*
JENNINGS A M, WILD G, WARD J D, and WARD A M: Immunological abnormalities 17 years after accidental exposure to 2,3,7,8-tetrachlorodibenzo-p-dioxin, 701
JIN C *see* INOUE O *et al*
Job-exposure matrix, application to national mortality statistics for lung cancer, 70
JOHANSON G and DYNÉSIUS B: Liquid/air partition coefficients of six commonly used glycol ethers, 561
JOHN C and MCLELLAN D L: Employers' attitudes to epilepsy, 713
JOHNSTON A M *see* JONES A D *et al*
JONES A D, MCMILLAN C H, JOHNSTON A M, MCINTOSH C, COWIE H, BOLTON R E, BORZUCKI G, and VINCENT J H: Pulmonary clearance of UICC amosite fibres inhaled by rats during chronic exposure at low concentration, 300
——*see also* DAVIS J M G *et al*
JONES A YARDLEY- *see* YARDLEY-JONES A
JONES R D: Metal polishing, stomach cancer, and clearing houses: correspondence, 201
JOUANY J-M *see* CINKOTAI F F *et al*
JULIAN J *see* HAINES T *et al*

K

KALLIOMÄKI P-L *see* TOLA S *et al*
KALYONCU F *see* BARIŞ Y I *et al*
KARPPI S-L *see* LEINO P *et al*
KASAHARA M *see* INOUE O *et al*
KAW J L and KHANNA A K: Development of silicotic lesions in the lungs of rats pre-exposed to coal fly ash, 312
KAZANTZIS G *see* ADES A E and KAZANTZIS G
KHANNA A K *see* KAW J L and KHANNA A K
KHANNA P *see* LAHIRI V L *et al*
KINLEN L J and WILLOWS A N: Decline in the lung cancer hazard: a prospective study of the mortality of iron ore miners in Cumbria, 219
KINSEY D L *see* WICKRAMARATNE G A DE S *et al*
KISHI R, HARABUCHI I, IKEDA T, YOKOTA H, and MIYAKE H: Neurobehavioural effects and pharmacokinetics of toluene in rats and their relevance to man, 396
KLERK N H DE *see* DE KLERK N H

Knight K L *see* Newhouse M L *et al*
Knypl J M Wiśniewska- *see* Wiśniewska-Knypl J M
Korhonen O *see* Färkkilä M *et al*
Korkala M-L *see* Tola S *et al*
Kriebel D, Spence N L, Eisen E A, and Greaves I A: Pulmonary function in beryllium workers: assessment of exposure, 83
Kriebel D, Spence N L, Eisen E A, Greaves I A, Feldman H A, and Greene R E: Beryllium exposure and pulmonary function: a cross sectional study of beryllium workers, 167
Krzyżanowski M, Jędrychowski W, and Wysocki M: Occupational exposures and changes in pulmonary function over 13 years among residents of Cracow, 747
Kuroiaki T *see* Anton-Culver H *et al*
Kurtz Z *see* Espir M L E *et al*

L

Laboratory animals, allergy to, in pharmaceutical industry, 660
—— —— —— ——smoking, and atopy, 667
Lahiri V L, Khanna P, Singh K, Elhence B R, and Wahal P K: Nitrosamine in leather dust extracts, 647
Lam T H *see* Venables K M *et al*
Lander F and Gravesen S: Respiratory disorders among tobacco workers, 500
Lao I *see* Jajte J *et al*
Laryngeal cancer, relation between, and exposure to acid mists, 766
Lauwerys R R *see* Bernard A M *et al*
Laval G and Tuyns A J: Environmental factors in childhood leukaemia, 843
Lavoie J *see* McDonald A D *et al*
Lawson A *see* Lloyd O L *et al*
Lead, erythrocyte pyrimidine 5′-nucleotidase (P5N) activity, response in workers exposed to, 718
——exposure, pyrimidine 5′-nucleotidase (P5N) activity, determination in whole blood as index of, 420
——and induction of de novo synthesis of δ-aminolaevulinate dehydratase, 710
——measurements, tibia, in vivo, as index of cumulative exposure in occupationally exposed subjects, 174
Leanderson P, Söderkvist P, Tagesson C, and Axelson O: Formation of 8-hydroxydeoxyguanosine by asbestos and man made mineral fibres, 309
Leather dust extracts, nitrosamine, 647
Leigh J P: Odds ratios of work related deaths in United States workers, 158
Leino P, Hasan J, Karppi S-L: Occupational class, physical workload, and musculoskeletal morbidity in the engineering industry, 672
Lerman Y *see* Lilis R *et al*
Letz R *see* Gerr F E and Letz R
Leukaemia, childhood, environmental factors, 843
——chronic lymphatic, engine exhausts, fresh wood, and DDT, case-referent study, 33
Levin L I, Zheng W, Blot W J, Gao Y-T, and Fraumeni J F: Occupation and lung cancer in Shanghai: a case-control study, 450
Li G-L see Inoue O *et al*
Lilienfeld D E, Mandel J S, Coin P, and Schuman L M: Projection of asbestos related diseases in the United States, 1985–2009 I. Cancer, 283
Lilis R, Lerman Y, and Selikoff I J: Symptomatic benign pleural effusions among asbestos insulation workers: residual radiographic abnormalities, 443
——*see also* Ribak J *et al*
Lincoln J E *see* Gantt R C and Lincoln J E
Lindane, plasma γ-hexachlorocyclohexane concentrations in forestry workers exposed to, 493
Lindeporg B-M *see* Wiklund K *et al*
Lings S: Halothane related liver affection in an anaesthetist, 716
Lipid peroxidation, and lysosomal enzymes stimulation, silica earth provoked lung fibrosis, rats, 239
Lipps T E *see* Bond G G *et al*
Liquid/air partition coefficients, six commonly used glycol ethers, 561
Liu L *see* He F *et al*
Lloyd M M *see* Lloyd O L *et al*
Lloyd O L, Lloyd M M, Williams F L R, and Lawson A: Twinning in human populations and in cattle exposed to air pollution from incinerators, 556
Longbottom J L *see* Venables K M *et al*
Love R G, Smith T A, Gurr D, Soutar C A, Scarisbrick D A, and Seaton A: Respiratory and allergic symptoms in wool textile workers, 727
Lovell D P *see* Yardley-Jones A *et al*
Luberto F *see* Cavalleri A *et al*
Luck R *see* Drummond L *et al*
Lumbar canal, ultrasound measurement, hospital employees with back pain, 552
Lumberjacks with vibration syndrome, adrenaline and noradrenaline urinary excretion, 570
Lung cancer, application of job-exposure matrix to national mortality statistics, 70
—— ——glass fibre production workers, case-control study, 613
—— ——hazard, decline, iron ore miners, Cumbria, 219
—— ——incidence, welders, platers, machinists, and pipe fitters in shipyards and machine shops, 209
—— ——lobe of origin in attribution to asbestos, 544
—— ——in non-ferrous smelter, role of cadmium, 435
—— ——and occupation, Shanghai, case-control study, 450
—— ——occupational risk factors, case-control study, France, 231
—— ——occupation, and smoking, 790
—— ——risk and low level exposure to asbestos: editorial, 505
——dysfunction and chronic bronchitis determinants, gold miners, Western Australia: correspondence, 503: correction, 720
—— ——and chronic bronchitis, determinants, gold miners, Western Australia: correspondence, 845
——fibrosis, silica earth provoked, with stimulation of lysosomal enzymes and lipid peroxidation, rats, 239
——function, West Sussex firemen, four year study, 116
Lymphoma, malignant, and farming, Hancock County, Ohio, 25
—— ——risk, agricultural and forestry workers, Sweden, 19
Lysosomal enzymes, and lipid peroxidation stimulation, silica earth provoked lung fibrosis, rats, 239

M

McCunney R J: Diverse manifestations of trichloroethylene, 122
McDonald A D: Work and pregnancy: editorial, 577
——McDonald J C, Armstrong B, Cherry N M, Côté R, Lavoie J, Nolin A D and Robert D: Congenital defects and work in pregnancy, 581
—— ——Armstrong B, Cherry N M, Côté R, Lavoie J, Nolin A D and Robert D: Fetal death and work in pregnancy, 148
—— —— —— ——Nolin A D, and Robert D: Prematurity and work in pregnancy, 56
—— —— —— —— ——Work with visual display units in pregnancy, 509
——*see also* McDonald J C *et al*
McDonald J C, McDonald A D, Sébastien P and Moy K: Health of vermiculite miners exposed to trace amounts of fibrous tremolite, 630
——*see also* Davis J M G and McDonald J C, MacDonall A D *et al*
McDowall M E *see* Balarajan R and McDowall M E
Machac J *see* Horowitz S F *et al*
Machinists, cancer incidence, in shipyards and machine shops, 209
McIntosh C *see* Jones A D *et al*
McKiernan M J *see* Somervaille L J *et al*
McLaren E A *see* Bond G G *et al*
McLaughlin J K, Malker H S R, Blot W J, Weiner J A, Ericsson J L E, and Fraumeni J F: Occupational risks for male breast cancer in Sweden, 275

MACLEAN L *see* ENARSON D A *et al*
MCLELLAN D L *see* JOHN C and MCLELLAN D L
MCMILLAN C H *see* JONES A D *et al*
MCNULTY J C *see* WADDELL V P *et al*
MAGNANI C, PANNETT B, WINTER P D, and COGGON D: Application of a job-exposure matrix to national mortality statistics for lung cancer, 70
——*see also* GARDNER M J *et al*
MAGOS L: Thoughts on life with untested and adequately tested chemicals: editorial, 721
MALKER H S R *see* MCLAUGHLIN J K *et al*
MALMGREN R *see* BEVING H *et al*
MALTBÆK N *see* SHERSON D *et al*
Manchester criteria, and cotton workers: correspondence, 431
MANDEL J S *see* LILIENFELD D E *et al*
Manmade mineral fibres, and asbestos, benzo(a)pyrene adsorption, in aqueous solution and in biological model solution, 682
MARSAC J *see* CHOUDAT D *et al*
MASON H J, DAVISON A G, WRIGHT A L, GUTHRIE C J G, FAYERS P M, VENABLES K M, SMITH N J, CHETTLE D R, FRANKLIN D M, SCOTT M C, HOLDEN H, GOMPERTZ D and NEWMAN-TAYLOR A J: Relations between liver cadmium, cumulative exposure, and renal function in cadmium alloy workers, 793
MATTHEWS G *see* NEWHOUSE M L *et al*
MATTIASSON L *see* ÅKESSON B *et al*
MATZA D *see* HOROWITZ S F *et al*
MAWDSLEY J *see* NORMAN J N *et al*
Medical expert witness, untested and adequately tested chemicals; editorial, 721
MEHRA V *see* ANDERSSON N *et al*
MEIJERS J M M *see* SWAEN G M H and MEIJERS J M M
Melanoma, malignant, of skin, increased incidence in telecommunications industry workers, 824
Mercury in the brain, long term persistence: editorial, 649
Mesothelioma, malignant, in cohort of asbestos insulation workers, clinical presentation, diagnosis, and causes of death, 182
——malignant pleural, in nuclear engineer, 498
Metal polishing, stomach cancer, and clearing houses: correspondence, 201
Methionine, allergy and occupational exposure, 376
Methyl isocyanate, effects on muscle cells in culture, rat, 269
—— ——exposure and response, results of community based survey, Bhopal, 469
MEYER F *see* BOURBONNAIS R *et al*
MILATOU R *see* HUNCHAREK M *et al*
MILLER A B *see* RISCH H A *et al*
Millers and miners of crocidolite, mortality, Western Australia, 5
Mineral analysis laboratory, occupational asthma, 381
Miners and millers of crocidolite, mortality, Western Australia, 5
MIYAKE H *see* KISHI R *et al*
Montana, health of vermiculite miners exposed to trace amounts of fibrous tremolite, 630
Mortality in miners and millers of crocidolite, Western Australia, 5
——statistics, national, for lung cancer, application of job-exposure matrix, 70
——workers at acetylene production plants, 63
MOSQUERA D and GOLDMAN M: An unusual variant of the hypothenar hammer syndrome, 568
MOY K *see* MCDONALD J C *et al*
MUIR D C F *see* HAINES T *et al*
MUIR M K *see* ANDERSSON N *et al*
MURATA K *see* ARAKI S *et al*
Muscle cells in culture, methyl isocyanate, effects, rat, 269
Musculoskeletal morbidity, occupational class, and physical workload, in engineering industry, 672
MUSK A W, PEACH S, and RYAN G: Occupational asthma in a mineral analysis laboratory, 381
MUSK A W, BECK B D, GREVILLE H W, BRAIN J D, and BOHANNON D E: Pulmonary disease from exposure to an artificial aluminium silicate: further observations, 246
——*see also* ARMSTRONG B K *et al*
Mustard gas workers, respiratory tract cancers, 652

N

NAKATSUKA H *see* INOUE O *et al*
Nasal mucosa, histopathological changes, and formaldehyde occupational exposure, 761
NEMERY B *see* TAKAM J and NEMERY B
Nerve conduction velocities, chain saw operators, determination of distribution, 341
NEUKIRCH F *see* CHOUDAT D *et al*
NEVITT A *see* SCHILLING C J *et al*
NEWHOUSE M L, MATTHEWS G, SHEIKH K, KNIGHT K L, OAKES D, and SULLIVAN K R: Mortality of workers at acetylene production plants, 63
——*see also* WAGNER J C *et al*
NEWMAN-TAYLOR A J *see* MASON H J *et al*
NIELSEN S L *see* OLSEN N and NIELSEN S L
NIMAN H L *see* BRANDT-RAUF P W and NIMAN H L
Nitrosamine in leather dust extracts, 647
NOFER T WROŃSKA *see* WROŃSKA-NOFER T
NOLIN A D *see* MCDONALD A D *et al*
Noradrenaline, urinary excretion, lumberjacks with vibration syndrome, 570
NORMAN J N, BALLANTINE B N, BREBNER J A, BROWN B, GAULD S J, MAWDSLEY J, ROYTHORNE C, VALENTINE M J and WILCOCK S E:Medical evacuations from offshore structures, 619
NORSETH T: Anyone for teno? correspondence, 279
Norway, oil exposure and cancer, mortality and incidences, Part I exposure conditions 1920–79, 589; Part II Exposure conditions 1953–84, 595
Notices 208, 280, 432, 720, 856
Nuclear engineer, malignant pleural mesothelioma, 498

O

OAKES D *see* NEWHOUSE M L *et al*
Occupation and hospital morbidity, male workforce, Western Australia, 139
——smoking, and lung cancer, 790
Occupational health aspects, arsenic extractive industry, Britain, 1868–1925, 602
——health for health workers: editorial, 137
——medicine, psychiatric research: future of an illusion? editorial, 1
——mortality, odds ratios, United States, 158
—— ——studies, investigating dose response relations: correspondence, 204
——risks, male breast cancer, Sweden, 275
—— ——factors, lung cancer, case-control study, France, 231
ÖDKVIST L *see* EDLING C *et al*
Offshore structures, medical evacuations, 619
O'FLYNN R R: Psychiatric research in occupational medicine: the future of an illusion? editorial, 1
Ohio, Hancock County, farming and malignant lymphoma, 25
Oil exposure and cancer, mortality and incidences, Norway, Part I Exposure conditions 1920–79, 589: Part II exposure conditions 1953–84, 595
OLSEN J H: Occupational risks of sinonasal cancer in Denmark, 329
OLSEN N: Diagnostic tests in Raynaud's phenomena in workers exposed to vibration: a comparative study, 426
——and NIELSEN S L: Vasoconstrictor response to cold in forestry workers: a prospective study, 39
——and PETRING O U: Vibration elicited vaso-constrictor reflex in Raynaud's phenomena, 415
OLSEN O *see* SHERSON D *et al*
OLSSON P *see* BEVING H *et al*
Oncogene proteins, serum screening for, in workers exposed to polychlorinated biphenyls, 689
ØRBÆK, P, ROSÉN I, and SVENSSON K: Electroneurographic findings in patients with solvent induced central nervous system dysfunction, 409

——— ——— ———Power spectrum analysis of EEG at diagnosis and follow up of patients with solvent induced chronic toxic encephalopathy, 476
Organic solvents, long term exposure, and changed fatty acid composition in platelets, 565
Organophosphate concentrate, ultralow volume application, in grain terminals, new occupational hazard, 834
Oxygen, maximal uptake, indirect estimation, for study of working populations, 532

P

Pannett B *see* Gardner M J *et al*
Magnani C *et al*
Paper mill workers, proportionate mortality ratio, New Hampshire, 234
Parker L *see* Weller J J *et al*
Pasini F *see* Perbellini L *et al*
Paternal employment in solvent related occupations, and adverse pregnancy outcomes, 193
Paulson J O *see* Dubrow R *et al*
PCBs *see* Polychlorinated biphenyls
Peach S *see* Musk A W *et al*
Penner L *see* Ribak J *et al*
Perbellini L, Faccini G B, Pasini F, Cazzoli F, Pistoia S, Rosellini R, Valsecchi M, and Brugnone F: Environmental and occupational exposure to benzene by analysis of breath and blood, 345
Pezin P O *see* Collins H P R *et al*
Person-years in dose response relation in occupational exposure: correspondence, 279
Persson B *see* Floddin U *et al*
Petersen M R *see* Abrons H L *et al*
Peto J *see* Easton D F *et al*
Petring O U *see* Olsen N and Petring O U
Philbert M *see* Choudat D *et al*
Phillips B J *see* Anderson D *et al*
Phytohaemagglutinin (PHA) stimulated lymphocytes, effect of occupational exposure to benzene, man, 516
Pickering C A C *see* Cinkotai F F *et al*
Pintar K *see* Funahashi A *et al*
Pipe fitters, cancer incidence, in shipyards and machine shops, 209
Pistoia S *see* Perbellini L *et al*
Platers, cancer incidence, in shipyards and machine shops, 209
Pleural effusions, symptomatic benign, asbestos insulation workers, residual radiographic abnormalities, 443
Pneumoconiosis, coalworkers', dust exposure and lung function, irregularly shaped small shadows on chest radiographs, 43
——in dental laboratory technicians, 320
——welders', tissue elemental microanalysis by energy dispersive x-ray analysis, 14
Poirier M *see* Cordier S *et al*
Polychlorinated biphenyls, workers exposed to, oncogene proteins serum screening, 689
Portland cement workers, symptoms, ventilatory function, and environmental exposures, 368; correction, 720
Power spectrum analysis of electroencephalography, diagnosis and follow up in solvent induced chronic toxic encephalography, 476
Pregnancy, fetal death and work, 148
——outcomes, adverse, and paternal employment in solvent related occupations, 193
——prematurity and work, 56
——work, and congenital defects, 581: editorial, 577
——work with visual display units, 509
Prematurity and work in pregnancy, 56
Procollagen peptide, serum type III, in asbestos workers, early indicator of pulmonary fibrosis, 818
Provencher S *see* De Guire L *et al*
Psaila-Savona P *see* Waddell V P *et al*
Psychiatric research in occupational medicine: future of an illusion? editorial, 1
Pukkala E *see* Tola S *et al*
Pulmonary disease, from exposure to artificial aluminium silicate, further observations, 246
——fibrosis, serum type III procollagen peptide, early indicator of, asbestos workers, 818
——function, and beryllium exposure, cross sectional study of beryllium workers, 167
——— ——— ———workers, assessment of exposure, 83
——— ———occupational exposures and changes, over 13 years, Cracow, 747
Pulp and paper company, back pain, and back abnormalities, and competing factors as predictors of employment and retirement, 387
——workers, proportionate mortality ratio, New Hampshire, 234
Pulverised fuel ash, prolonged exposure, respiratory effects, 810
Pyrethroid insecticides, effects on pyrethroid packers, 548
Pyrimidine 5'-nucleotidase (P5N) activity, determination in whole blood as index of lead exposure, 420
——— ———erythrocyte, activity, response in workers exposed to lead, 718
Pyykkö I *see* Färkkilä M *et al*

Q

Quinol, determination in urine of benzene exposed workers, 487

R

Rauf P W Brandt *see* Brandt-Rauf P W
Raynaud's phenomena, diagnostic tests in workers exposed to vibration, comparative study, 426
——— ———new clinical classification and updated British standard guide: editorial, 281
——— ———vibration elicited vasoconstrictor reflex, 415
———syndrome, aesthesiometric changes over a workshift, 106
Reed J W *see* Weller J J *et al*
Renal function, liver cadmium, and cumulative exposure, relations between, cadmium alloy workers, 793
Respiratory and allergic symptoms in wool textile workers, 727
——disorders, tobacco workers, 500
——effects of prolonged exposure to pulverised fuel ash, 810
——illness, measurements among construction painters, 523
——symptoms, West Sussex firemen, 251
——tract cancers in mustard gas workers, 652
Retrospective cohort studies, influence of design characteristics on outcome, 624
Ribak J, Lilis R, Suzuki Y, Penner L, and Selikoff I J: Malignant mesothelioma in a cohort of asbestos insulation workers: clinical presentation, diagnosis, and causes of death, 182
Rickards M A *see* Collins H P R *et al*
Rigby A *see* Cinkotai F F *et al*
Risch H A, Burch J D, Miller A B, Hill G B, Steele R, and Howe G R: Occupational factors and the incidence of cancer of the bladder in Canada, 361
Risk assessment in asbestos cement industry: correspondence, 201, 720
Rizzo J N *see* Horowitz S F *et al*
Robert D *see* McDonald A D *et al*
Rønneberg A and Skyberg K: Mortality and incidence of cancer among oil exposed workers in a Norwegian cable manufacturing company, Part I: Exposure conditions 1920–79, 589
——Andersen A and Skyberg K: Mortality and incidence of cancer among oil exposed workers in a Norwegian cable manufacturing company, Part 2: Mortality and cancer incidence 1953–84, 595
Rosellini R *see* Perbellini L *et al*
Rosén I *see* Ørbæk P *et al*
Rossignol M and Thériault G: Skin telangiectases and ischaemic disorders in primary aluminium production workers, 198
——*see also* Abenhaim L *et al*
Rossiter C E, Browne K, and Gilson J C: International classification trial of AIA set of 100 radiographs of asbestos workers, 538
——*see also* Schilling C J *et al*
Rossiter C E R *see* Wagner J C *et al*
Roush G J *see* Bond G G *et al*

ROYTHORNE C *see* NORMAN J N *et al*
Rubber factory, cancer mortality, Italy: correspondence, 572
RUDD R M: Exposure to asbestos and the risk of gastrointestinal cancer: correspondence, 573
RYAN G *see* MUSK A W *et al*
RYLANDER R: Cotton workers and the Manchester criteria: correspondence reply, 431

S

SAHIN A A *see* BARIS Y I *et al*
SAKAI R, ARAKI R, and UEHO K: Determination of pyrimidine 5'-nucleotidase (P5N) activity in whole blood as an index of lead exposure, 420
SALMON A G *see* ANDERSON N *et al*
SAMUEL A M *see* CAMPBELL L *et al*
SANDERSON W T *see* ABRONS H L *et al*
SAVONA P PISAILA- *see* PISAILA-SAVONA P
SCARISBRICK D A *see* LOVE R G *et al*
SCHILLING C J, TAMS I P, SCHILLING R S F, NEVITT A, ROBSTER C E and WILKINSON B: A survey into the respiratory effects of prolonged exposure to pulverised fuel ash, 810
——*see also* SCHILLING C J *et al*
SCHIMBERG R W *see* AHRINEN I and SCHIMBERG R W
SCHLUETER D P *see* FUNAHASHI A *et al*
SCHNORR T *see* STEENLAND K *et al*
SCHOLANDER P *see* GERDE P and SCHOLANDER P
SCHUMAN L M *see* LILIENFELD D E *et al*
SCHWARTZ E: A proportionate mortality ratio analysis of pulp and paper mill workers in New Hampshire, 234
SCOTT M C *see* MASON H J *et al*
SOMERVAILLE L J *et al*
SEABORN D *see* CINKOTAI F F *et al*
SEATON A *see* LOVE R G *et al*
SEBASTIEN P *see* BARIS Y I *et al*
McDONALD J C *et al*
SEIJI K *see* INOUE O *et al*
Self reported work history, validity, 29
SELIKOFF I J *see* LILIS R *et al*
RIBAK J *et al*
Shanghai, lung cancer and occupation, case-control study, 450
SHEIKH K *see* NEWHOUSE M L *et al*
SHERSON D, MALTBÆK N, and OLSEN O: Small opacities among dental laboratory technicians in Copenhagen, 320
Shipyard workers, indirect estimation of maximal oxygen uptake, 532
—— with x-ray abnormalities consistent with asbestos exposure, immune response, 464
SIEGESMUND K A *see* FUNAHASHI A *et al*
Silica earth provoked lung fibrosis, with stimulation of lysosomal enzymes and lipid peroxidation, rats, 239
Silicotic lesions, development in lungs of rats pre-exposed to coal fly ash, 312
SINGH K *see* LAHIRI V L *et al*
Sinonasal cancer, occupational risks, Denmark, 329
SKEET R G *see* SWERDLOW A J and SKEET R G
SKERFVING S *see* ÅKESSON B *et al*
SKILBECK A *see* SOMERVAILLE L J *et al*
SKYBERG K *see* RØNNEBERG A *et al*
RØNNEBERG and SKYBERG K
Smallpox, as hazard in church crypts, 359
Smelter, non-ferrous, lung cancer, role of cadmium, 435
SMITH K *see* HUNCHAREK M *et al*
SMITH N J *see* MASON H J *et al*
SMITH T *see* DAVIS J M G *et al*
SMITH T A *see* LOVE R G *et al*
Smoking, atopy, and allergy to laboratory animals, 667
—— occupation, and lung cancer, 790
SMULEVICH V B, FEDOTOVA I V, and FILATOVA V S: Increasing evidence of the rise of cancer in workers exposed to vinylchloride, 93
SÖDERKVIST P *see* LEANDERSON P *et al*
SOLOMON S J *see* HOROWITZ S F *et al*
Solvent induced central nervous system dysfunction, electroneurographic findings, 409
—— related occupations, paternal employment, and adverse pregnancy outcomes, 193
SOMERVAILLE L J, CHETTLE D R, SCOTT M C, TENNANT D R, McKIERNAN M J, SKILBECK A, and TRETHOWAN W N: In vivo tibia lead measurements as an index of cumulative exposure in occupationally exposed subjects, 174
SORSA M *see* AHLBORG G *et al*
SOUTAR C A *see* LOVE R G *et al*
SPEARS R *see* HAINES T *et al*
SPRINCE N L *see* KRIEBEL D *et al*
STARCK J *see* FÄRKKILÄ M *et al*
STEELE R *see* RISCH H A *et al*
STEENLAND K, SCHNORR T, BEAUMONT J, HALPERIN W and BLOOM T: Incidence of laryngeal cancer and exposure to acid mists, 766
STERN A *see* HOROWITZ S F *et al*
Stomach cancer, metal polishing, and clearing houses: correspondence, 201
SUISSA S *see* ABENHAIM L *et al*
SULLIVAN K R *see* NEWHOUSE M L *et al*
SUN J *see* HE F *et al*
SUZUKI Y *see* RIBAK J *et al*
SVENSSON K *see* ØRBÆK P *et al*
SWAEN G M H and MEIJERS J M M: Influence of design characteristics on the outcome of retrospective cohort studies, 624
—— and VOLOVICS A: Investigating dose response relations on occupational mortality studies: correspondence reply, 205
Sweden, agricultural and forestry workers, malignant lymphoma risk, 19
—— chimney sweeps, cancer excess, 777
—— male breast cancer, occupational risks, 275
—— pulp and paper company, back pain, and back abnormalities, and competing factors as predictors of employment and retirement, 387
SWERDLOW A J and SKEET R G: Occupational associations of testicular cancer in south east England, 225

T

TAGESSON C *see* LEANDERSON P *et al*
TAKAM J and NEMERY B: Byssinosis in a textile factory in Cameroon: a preliminary study, 803
TAMS I P *see* SCHILLING C J *et al*
TARANTINI T *see* BRANDT-RAUF P W *et al*
Tarsal tunnel syndrome, occupational, 277
TAYLOR A J NEWMAN- *see* NEWMAN-TAYLOR A J
TAYLOR A J N *see* VENABLES K M *et al*
TAYLOR W: Hand-arm vibration syndrome: a new clinical classification and an updated British standard guide for hand transmitted vibration: editorial, 281
TEE A *see* ANDERSON D *et al*
TEE R D *see* VENABLES K M *et al*
Telangiectases, skin, and ischaemic disorders, primary aluminium production workers, 198
Telecommunications industry workers, malignant melanoma of skin, increased incidence, 824
TENNANT D R *see* SOMERVAILLE L J *et al*
Tenosynovitis, treatment with heparin: correspondence, 279
Testicular cancer, south-east England, occupational associations, 225
2,3,7,8-Tetrachlorodibenzo-p-dioxin, immunological abnormalities 17 years after accidental exposure to, 701
Textile factory, byssinosis, Cameroon, preliminary study, 803
—— industry, byssinotic symptoms, prevalence, Lancashire, 782
THERIAULT G *see* BOURBONNAIS R *et al*
DE GUIRE L *et al*
ROSSIGNOL M and THERIAULT G
THOMAS D J *see* COLLINS H P R *et al*
THOMASON J *see* ESPIR M L E *et al*
TINSTON D J *see* WICKRAMARATNE G A DE S *et al*
Tobacco workers, respiratory disorders, 500

Tola S, Kalliomäki P-L, Pukkala E, Asp S, and Korkala M-L: Incidence of cancer among welders, platers, machinists, and pipe fitters in shipyards and machine shops, 209
Toluene, neurobehavioural effects and pharmacokinetics, rats, relevance to man, 396
Tomokuni K *see* Ichiba M and Tomokuni K
Tremolite asbestos, environmentally exposed Anatolian village, epidemiological study, 838
—— fibrous, vermiculite miners exposed to trace amounts, 630
Trethowan W N *see* Somervaille L J *et al*
Trichloroethylene, diverse manifestations, 122
Triethylamine, metabolism in man, experimental study, 262
Trinitrotoluene (TNT), mutagenic activity and metabolites in urine of workers exposed to, 353
Tuyns A J *see* Laval G and Tuyns A J
Twinning, in human populations and cattle exposed to air pollution from incinerators, 556

U

UICC amosite fibres, inhaled, pulmonary clearance, rats, 300
Ultrasound lumbar canal measurement, hospital employees with back pain, 552
Ume H and Ebaki H: Urinary excretion of adrenaline and noradrenaline in lumberjacks with vibration syndrome, 570
Upton J L *see* Venables K M *et al*
Ushio K *see* Sakai T *et al*

V

Valentine M J *see* Norman J N *et al*
Validity of self reported work history, 29
Valsecchi M *see* Perbellini L *et al*
Varin J *see* Corliss S *et al*
Vasoconstrictor reflex, vibration elicited, in Raynaud's phenomena, 415
—— response to cold, forestry workers, prospective study, 39
Vaughan T L *see* Daniell W E and Vaughan T L
VDUs *see* Visual display units
Venables K M, Tee R D, Hawkins E R, Gordon D J, Wale C J, Farrer N M, Lam T H, Baxter P J, and Taylor A J N: Laboratory animal allergy in a pharmaceutical company, 660
—— Upton J L, Hawkins E R, Tee R D, Longbottom J L, and Taylor A J N: Smoking, atopy, and laboratory animal allergy, 667
—— *see also* Mason H J *et al*
Ventricular function, right and left, hard metal workers, evaluation, 742
Vermiculite miners exposed to trace amounts of fibrous tremolite, 630
Verrall A B *see* Haines T *et al*
Veys C A and Waterhouse J A H: Cancer mortality in an Italian rubber factory: correspondence, 572
Vibration elicited vasoconstrictor reflex in Raynaud's phenomena, 415
—— forestry workers exposed to, neurological study, 188
—— hand-arm, aesthesiometric changes over a workshift, 106
—— —— syndrome, new clinical classification and updated British standard guide: editorial, 281
—— Raynaud's phenomena, diagnostic tests in workers exposed to, comparative study, 426
—— sensitivity, test reliability, two protocols compared, 635
—— syndrome, lumberjacks, adrenaline and noradrenaline urinary excretion, 570
Vincent J H *see* Jones A D *et al*
Vinylchloride, cancer in workers exposed to, increasing evidence of risk, 93
Visual display units, work with in pregnancy, 509
Volovics A *see* Swaen G M H and Volovics A

W

Waddell V P, Holman C D J, Armstrong B K, McNulty J C, and Psaila-Savona P: Variation in hospital morbidity in the male workforce of Western Australia, 139
Wagner J C, Newhouse M L, Corrin B, Rossiter C E R, and Griffiths D M: Correlation between fibre content of the lung and disease in east London asbestos factory workers, 305
Wahal P K *see* Lahiri V L *et al*
Waldron H A: Danger: children at work: editorial, 73
Wale C J *see* Venables K M *et al*
Wang S *see* He F *et al*
Ward A M *see* Jennings A M *et al*
Ward J D *see* Jennings A M *et al*
Washington J S *see* Collins H P R *et al*
Watanabe T *see* Inoue O *et al*
Waterhouse J A H *see* Veys C A and Waterhouse J A H
Weill H *see* Hughes J and Weill H
Weiner J A *see* McLaughlin J K *et al*
Weiss W: Lobe of origin in the attribution of lung cancer to asbestos, 544
Welders, cancer incidence, in shipyards and machine shops, 209
—— pneumoconiosis, tissue elemental microanalysis by energy dispersive x-ray analysis, 14
Weller J J, El-Gamal F M, Parker L, Reed J W, and Cotes J E: Indirect estimation of maximal oxygen uptake for study of working populations, 532
West Sussex firemen, lung function, four year study, 116
Western Australia, mortality, miners and millers of crocidolite, 5
Wetterstroem N H *see* Bond G G *et al*
White M C and Baker E L: Measurements of respiratory illness among construction painters, 523
Wickramaratne G A de S, Tinston D J, Kinsey D L and Doe J E: Assessment of the reproductive toxicology of bromochlorodifluoromethane (BCF, halon 1211) in the rat, 755
Wiklund K, Lindefors B-M, and Holm L-E: Risk of malignant lymphoma in Swedish agricultural and forestry workers, 19
Wilcock S E *see* Norman J N *et al*
Wild G *see* Jennings A M *et al*
Wilkinson B *see* Schilling C J *et al*
Williams F L R *see* Lloyd O L *et al*
Willows A N *see* Kinlen L J and Willows A N
Wilson H K *see* Campbell L *et al*
Drummond L *et al*
Wing S *see* Humble C and Wing S
Winter P D *see* Gardner M J *et al*
Magnani C *et al*
Wiśniewska-Knypl J M *see* Jajte J *et al*
Wood, fresh, DDT, engine exhausts, and chronic lymphatic leukaemia, case-referent study, 33
—— preservatives, exposure to, and gliomas, 705
Wool textile workers, respiratory and allergic symptoms, 727
Work and pregnancy, and congenital defects: editorial, 577
—— —— and congenital defects, 581
—— related deaths, odds ratios, United States, 158
Wright A L *see* Mason H J *et al*
Wrońska-Nofer T *see* Jajte J *et al*
Wu Y *see* He F *et al*
Wysocki M *see* Krzyżanowski M *et al*

X

M-Xylene and aspirin metabolism, interactions, man, 127

Y

Yao P *see* He F *et al*
Yardley-Jones A, Anderson D, and Jenkinson P: Effect of occupational exposure to benzene on phytohaemagglutinin (PHA) stimulated lymphocytes in man, 516
—— —— —— Lovell D P, Blowers S D, and Davies M J: Genotoxic effects in peripheral blood and urine of workers exposed to low level benzene, 694
Yin S-G *see* Inoue O *et al*
Yokota H *see* Kishi R *et al*
Yokoyama K *see* Araki S *et al*
Young S E J *see* Baxter P J *et al*

Z

Zheng W *see* Levin L I *et al*
Zeccardi A *see* Cavalleri A *et al*